



Girnar Machine Pvt. Ltd.

ISO 9001:2015 CERTIFIED COMPANY

A LEADING
MANUFACTURER OF

CHAPATI MAKING

MACHINERY



www.girnarmachine.com

VISION is To become #1 company
in Chapati making machinery
business in 2024 across the Globe.

To complete our VISION as early as
possible is our MISSION

AUTOMATIC CHAPATI MAKING

MACHINE (1000 CHAPATI / HOUR)

Production Capacity	: 1000 Roti /hr
Size Of Roti	: 3" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of chapati	: 1 mm to 9 mm
Electrical Supply	: 230 v (single phase) or 440v (Three phase)
Electrical connection Load	: 20Amp (4kw)
Electrical consumption	: 2.1 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas consumption	: 1.8 kg/hr
Gas safety	: Auto Cut Off Valve System
Roti Color & Appearance	: Light Brown
Overall Dimension	: 6.8'(L) x 2.4'(w) x 4.8'(H)
Weight of Machine	: 580 kg
All contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB or Crompton
Electric wire	: RR Cable or Polycab
Gear Box	: Rotomotive or Varvel (made by Italy)
Electric Parts	: Siemens & L&T & Schneider
Electric safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel)

Model No. GMI 001



AUTOMATIC

CHAPATI MAKING

MACHINE (2000 CHAPATI / HOUR)

Production Capacity	: 2000 Roti /hr
Size Of Roti	: 3" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of chapati	: 1 mm to 9 mm
Electrical Supply	: 230 v (single phase) or 440v (Three phase)
Electrical connection Load	: 32Amp (7.5Kw)
Electrical consumption	: 4 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas consumption	: 3.2 kg/hr
Gas safety	: Auto Cut Off Valve System
Roti Color & Appearance	: Light Brown
Overall Dimension	: 6.8'(L) x 4.2'(w) x 4.8'(H)
Weight of Machine	: 880 kg
All contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB or Crompton
Electric wire	: RR Cable or Polycab
Gear Box	: Rotomotive or Varvel (made by Italy)
Electric Parts	: Siemens & L&T & Schneider
Electric safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel)

Model No. GMI 002



AUTOMATIC CHAPATI MAKING

MACHINE (600 CHAPATI / HOUR)

Production Capacity	: 600 Roti /hr
Size Of Roti	: 3" to 9"
Weight of Chapati	: 12 to 90 gm
Thickness of chapati	: 1 mm to 9 mm
Electrical Supply	: 230 v (single phase) or 440v (Three phase)
Electrical connection Load	: 20Amp (3.5Kw)
Electrical consumption	: 1.8 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas consumption	: 1.5 kg/hr
Gas safety	: Auto Cut Off Valve System
Roti Color & Appearance	: Light Brown
Overall Dimension	: 4'(L) x 2.2'(w) x 4.8'(H)
Weight of Machine	: 380 kg
All contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB or Crompton
Electric wire	: RR Cable or Polycab
Gear Box	: Rotomotive or Varvel (made by Italy)
Electric Parts	: Siemens & L&T & Schneider
Electric safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel)

Model No. GMI 003



AUTOMATIC

CHAPATI WITH ATTACHED DOUGH BALL MAKING

MACHINE (1000 CHAPATI / HOUR)

Production Capacity	: 1000 Roti /hr and 2000 dough ball/hr
Size Of Roti	: 3" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of chapati	: 1 mm to 9 mm
Electrical Supply	: 230 v (single phase) or 440v (Three phase)
Electrical connection Load	: 20Amp (4kw)
Electrical consumption	: 2.2 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas consumption	: 1.8 kg/hr
Gas safety	: Auto Cut Off Valve System
Roti Color & Appearance	: Light Brown
Overall Dimension	: 7.8'(L) x 2.4'(w) x 5.2'(H)
Weight of Machine	: 650 kg
All contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB or Crompton
Electric wire	: RR Cable or Polycab
Gear Box	: Rotomotive or Varvel (made by Italy)
Electric Parts	: Siemens & L&T & Schneider
Electric safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel)

Model No. GMI 004



www.girnarmachine.com

AUTOMATIC

CHAPATI MAKING

MACHINE-FULLY ELECTRICAL

(600 CHAPATI / HOUR)

Production Capacity	: 600 Roti /hr
Size Of Roti	: 3" to 8"
Weight of Chapati	: 12 to 90 gm
Thickness of chapati	: 1.5 mm to 9 mm
Electrical Supply	: 440v (Three phase)
Electrical connection Load	: 50Amp (20Kw)
Electrical consumption	: 15 unit /hr
Chapati Baking	: Three Layer Technology
Power Safety	: Auto Cut Off heater System
Roti Color & Appearance	: Light Brown
Overall Dimension	: 5'(L) x 2.4'(w) x 4.8'(H)
Weight of Machine	: 430 kg
All contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB or Crompton
Electric wire	: RR Cable or Polycab
Gear Box	: Rotomotive or Varvel (made by Italy)
Electric Parts	: Siemens & L&T & Schneider
Electric safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel)

Model No. GMI 005



www.girnarmachine.com

AUTOMATIC

CHAPATI MAKING

MACHINE-FULLY ELECTRICAL

(1000 CHAPATI / HOUR)

Production Capacity	: 1000 Roti /hr
Size Of Roti	: 3" to 8"
Weight of Chapati	: 12 to 90 gm
Thickness of chapati	: 1.5 mm to 9 mm
Electrical Supply	: 440v (Three phase)
Electrical connection Load	: 80Amp (35Kw)
Electrical consumption	: 15 unit /hr
Chapati Baking	: Three Layer Technology
Power Safety	: Auto Cut Off heater System
Roti Color & Appearance	: Light Brown
Overall Dimension	: 6.8'(L) x 2.4'(w) x 4.8'(H)
Weight of Machine	: 650 kg
All contact Parts & covers	: SS 304
Roti Baking Conveyer	: SS 304
Electric Motor	: ABB or Crompton
Electric wire	: RR Cable or Polycab
Gear Box	: Rotomotive or Varvel (made by Italy)
Electric Parts	: Siemens & L&T & Schneider
Electric safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel)

Model No. GMI 006



AUTOMATIC

CHAPATI MAKING

MACHINE - EXPORT MODEL

(1000 CHAPATI / HOUR)

Production Capacity	: 1000 Roti /hr
Size Of Roti	: 3" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of chapati	: 1 mm to 9 mm
Electrical Supply	: 220 Volt (Three Phase)
Electrical connection Load	: 20Amp (4kw)
Electrical consumption	: 2.1 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas consumption	: 1.8 kg/hr
Gas safety	: Auto Cut Off Valve System
Gas Ignition	: Push Start
Roti Color & Appearance	: Light Brown
Overall Dimension	: 6.8'(L) x 2.4'(w) x 4.8'(H)
Weight of Machine	: 620 kg
All contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB or Crompton
Electric wire	: RR Cable or Polycab
Gear Box	: Rotomotive or Varvel (made by Italy)
Electric Parts	: Siemens & L&T & Schneider
Electric safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel)

Model No. GMI 007



AUTOMATIC

CHAPATI MAKING

MACHINE - EXPORT MODEL

(600 CHAPATI / HOUR)

Production Capacity	: 600 Roti /hr
Size Of Roti	: 3" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of chapati	: 1 mm to 9 mm
Electrical Supply	: 220 Volt (Three Phase)
Electrical connection Load	: 20Amp (4kw)
Electrical consumption	: 2.8 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas consumption	: 1.6 kg/hr
Gas safety	: Auto Cut Off Valve System
Gas Ignition	: Push Start
Roti Color & Appearance	: Light Brown
Overall Dimension	: 6.8'(L) x 2.4'(w) x 4.8'(H)
Weight of Machine	: 620 kg
All contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB or Crompton
Electric wire	: RR Cable or Polycab
Gear Box	: Rotomotive or Varvel (made by Italy)
Electric Parts	: Siemens & L&T & Schneider
Electric safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel)

Model No. GMI 008



AUTOMATIC

CHAPATI PRESSING

MACHINE (1000 CHAPATI / HOUR)

Production capacity	: 1000 Roti /hr
Size of Roti	: 3" to 9"
Weight of chapati	: 12 to 90 gram
Thickness of chapati	: 1 mm to 9 mm
Electrical supply	: 230v (single phase) or 440v (Three phase)
Electrical connection Load	: 18Amp (3.5Kw)
Electrical consumption	: 1.2 unit /hr
Overall Dimensions	: 2.6'(L) X1.3'(W)X3.5'(H)
Weight of Machine	: 110 kg
All contact parts	: SS 304
Electrical Motor	: ABB or Crompton
Gear Box	: varvel(made by Italy)
Electric Parts	: Siemens & L&T
Electric safety	: Emergency Stop Button
Bearing	: SKF or TIMKEN
Machine Movable	: YES (4" Castor Wheel)

Model No. GMI 009



AUTOMATIC

Dough Ball Making

MACHINE (3000 BALL / HOUR)

Production Capacity	: 3000 Dough ball /hr
Weight of dough ball	: 5 to 110 gm
Electrical Supply	: 230 v (single phase) or 440v (Three phase)
Machine Size	: L 2.5 x W 1.8 x H 2.5 ft
Machine contact Parts	: SS 304
Weight of Machine	: 70 kg
Electric Motor	: Crompton
Electric wire	: RR Cable or Polycab
Gear Box	: Rotomotive or Varvel (made by Italy)
Servo Motor (without compressor)	: Crouzet
Electric Parts	: Siemens & L&T & Schneider
Electric safety	: Emergency Stop Button
Machine Movable	: YES (4" Castor Wheel)

Model No. GMI 010



Waiting For
Your Positive
Response...

Associations

OUR CLIENT

Company Canteen



Hospitality



Health Care




Temple



Schools & Institutions



OUR PRESENCE



OUR OTHER PRODUCT

FULLY AUTOMATIC CHAPATI MAKING MACHINE

AUTOMATIC SWEET MAKING MACHINE

PANI PURI MAKING MACHINE

VEGETABLE CUTTING MACHINE

DOUGH KNEADING MACHINE



Girnar Machine Pvt. Ltd.

ISO 9001:2015 CERTIFIED COMPANY

Office : G-310, Titanium City Center, Anandnagar Road, Satellite, Ahmedabad-380015

Factory : Plot-11, Suvidha Engineering Zone, Nr. Atul Auto, Opp. SGVP School,
Rajkot-Gondal N/H, At- Ribda, Rajkot - 360311 (Gujarat)

Contact No.: +91 9627 365 365 | +91 9351 365 365
www.girnarmachine.com | info@girnarmachine.com

Watch on :

