

A LEADING
MANUFACTURER OF

CHAPATI MAKING

MACHINERY



VISION is To become #1 company
in Chapati making machinery
business in 2025 across the Globe.

To complete our VISION as early as
possible is our MISSION

AUTOMATIC

CHAPATI MAKING

MACHINE (1000 CHAPATI / HOUR)

Production Capacity	: 1000 Roti /hr
Size Of Roti	: 2" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of Chapati	: 1 mm to 9 mm
Electrical Supply	: 230 v (single phase) or 440v (Three phase)
Electrical Connection Load	: 20Amp (4kw)
Electrical Consumption	: 2.2 unit /hr to 2.4 unit/hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas Consumption	: 2.2 to 2.4 kg/hr
Gas Safety	: NRV (Pressure Regulation Control with NRV)
Overall Dimension	: 6.10'(L) x 2.4'(w) x 4.8'(H)
Weight of Machine	: 580 kg
All Contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB, Crompton & Godrej
Electric Wire	: RR Cable or Polycab
Gear Box	: Bonfiglioli (Made by Italy)
Electric Parts	: Siemens & Schneider
Electric Safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel) With Brake

Model No. GMI 001



www.girnarmachine.com

AUTOMATIC

CHAPATI MAKING

MACHINE (2000 CHAPATI / HOUR)

Production Capacity	: 2000 Roti /hr
Size Of Roti	: 2" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of Chapati	: 1 mm to 9 mm
Electrical Supply	: 230 v (single phase) or 440v (Three phase)
Electrical Connection Load	: 32Amp (7.5Kw)
Electrical Consumption	: 4 to 4.3 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas Consumption	: 4.0 kg/hr to 4.2 kg/hr
Gas Safety	: NRV (Pressure Regulation Control with NRV)
Overall Dimension	: 6.10'(L) x 4.2'(w) x 4.8'(H)
Weight of Machine	: 900 kg
All Contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB, Crompton & Godrej
Electric Wire	: RR Cable or Polycab
Gear Box	: Bonfiglioli (Made by Italy)
Electric Parts	: Siemens & Schneider
Electric Safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel) With Brake

Model No. GMI 002



AUTOMATIC CHAPATI MAKING

MACHINE (600 CHAPATI / HOUR)

Production Capacity	: 600 Roti /hr
Size Of Roti	: 2" to 9"
Weight of Chapati	: 12 to 90 gm
Thickness of Chapati	: 1 mm to 9 mm
Electrical Supply	: 230 v (single phase) or 440v (Three phase)
Electrical Connection Load	: 20Amp (3.5Kw)
Electrical Consumption	: 1.8 to 2 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas Consumption	: 1.5 to 1.8 kg/hr
Gas Safety	: NRV (Pressure Regulation Control with NRV)
Overall Dimension	: 4.0'(L) x 2.2'(w) x 4.8'(H)
Weight of Machine	: 350 kg
All Contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB, Crompton & Godrej
Electric Wire	: RR Cable or Polycab
Gear Box	: Bonfiglioli (Made by Italy)
Electric Parts	: Siemens & Schneider
Electric Safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel) With Brake

Model No. GMI 003



AUTOMATIC

CHAPATI WITH ATTACHED DOUGH BALL MAKING

MACHINE (1000 CHAPATI / HOUR)

Production Capacity	: 1000 Roti /hr and 2000 dough ball/hr
Size Of Roti	: 2" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of Chapati	: 1 mm to 9 mm
Electrical Supply	: 230 v (single phase) or 440v (Three phase)
Electrical Connection Load	: 20Amp (4kw)
Electrical Consumption	: 2.2 to 2.4 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas Consumption	: 2.2 to 2.4 kg/hr
Gas Safety	: NRV (Pressure Regulation Control with NRV)
Overall Dimension	: 7.8'(L) x 2.4'(w) x 5.2'(H)
Weight of Machine	: 650 kg
All Contact Parts & Covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB, Crompton & Godrej
Electric Wire	: RR Cable or Polycab
Gear Box	: Bonfiglioli (Made by Italy)
Electric Parts	: Siemens & Schneider
Electric Safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel) With Brake

Model No. GMI 004



www.girnarmachine.com

AUTOMATIC

CHAPATI MAKING

MACHINE-FULLY ELECTRICAL

(600 CHAPATI / HOUR)

Production Capacity	: 600 Roti /hr
Size Of Roti	: 2" to 8"
Weight of Chapati	: 12 to 90 gm
Thickness of Chapati	: 1.5 mm to 9 mm
Electrical Supply	: 440v (Three phase)
Electrical Connection Load	: 50Amp (20Kw)
Electrical Consumption	: 18 to 20 unit /hr
Chapati Baking	: Three Layer Technology
Overall Dimension	: 5.5'(L) x 2.4'(w) x 4.8'(H)
Weight of Machine	: 450 kg
All Contact Parts & Covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB, Crompton & Godrej
Electric Wire	: RR Cable or Polycab
Gear Box	: Bonfiglioli (Made by Italy)
Electric Parts	: Siemens & Schneider
Electric Safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel) With Brake

Model No. GMI 005



AUTOMATIC

CHAPATI MAKING

MACHINE-FULLY ELECTRICAL

(1000 CHAPATI / HOUR)

Production Capacity	: 1000 Roti /hr
Size Of Roti	: 2" to 8"
Weight of Chapati	: 12 to 90 gm
Thickness of Chapati	: 1.5 mm to 9 mm
Electrical Supply	: 440v (Three phase)
Electrical Connection Load	: 80Amp (35Kw)
Electrical Consumption	: 30 to 32 unit /hr
Chapati Baking	: Three Layer Technology
Overall Dimension	: 6.10'(L) x 2.4'(w) x 4.8'(H)
Weight of Machine	: 650 kg
All Contact Parts & Covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB, Crompton & Godrej
Electric Wire	: RR Cable or Polycab
Gear Box	: Bonfiglioli (Made by Italy)
Electric Parts	: Siemens & Schneider
Electric Safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel) With Brake

Model No. GMI 006



AUTOMATIC

CHAPATI MAKING

MACHINE - EXPORT MODEL

(1000 CHAPATI / HOUR)

Production Capacity	: 1000 Roti /hr
Size Of Roti	: 2" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of Chapati	: 1 mm to 9 mm
Electrical Supply	: 220 Volt (Three Phase)
Electrical Connection Load	: 20Amp (4kw)
Electrical Consumption	: 2.4 to 2.6 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas Consumption	: 2.2 to 2.4 kg/hr
Gas Safety	: NRV (Pressure Regulation Control with NRV)
Gas Burner Ignition	: Auto Ignition
Overall Dimension	: 6.10'(L) x 2.4'(w) x 4.8'(H)
Weight of Machine	: 650 kg
All Contact Parts & Covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB, Crompton & Godrej
Electric Wire	: RR Cable or Polycab
Gear Box	: Bonfiglioli (Made by Italy)
Electric Parts	: Siemens & Schneider
Electric Safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel) With Brake

Model No. GMI 007



AUTOMATIC

CHAPATI MAKING

MACHINE - EXPORT MODEL

(600 CHAPATI / HOUR)

Production Capacity	: 600 Roti /hr
Size Of Roti	: 2" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of Chapati	: 1 mm to 9 mm
Electrical Supply	: 220 Volt (Three Phase)
Electrical Connection Load	: 20Amp (4kw)
Electrical Consumption	: 2.0 to 2.2 unit /hr
Chapati Baking	: Three Layer Technology
Gas Connection	: LPG & PNG
Gas Consumption	: 1.8 to 2.0 kg/hr
Gas Safety	: NRV (Pressure Regulation Control with NRV)
Gas Burner Ignition	: Auto Ignition
Overall Dimension	: 5.0'(L) x 2.4'(w) x 4.8'(H)
Weight of Machine	: 450 kg
All Contact Parts & covers	: SS 304
Roti Baking Conveyor	: SS 304
Electric Motor	: ABB, Crompton & Godrej
Electric Wire	: RR Cable or Polycab
Gear Box	: Bonfiglioli (Made by Italy)
Electric Parts	: Siemens & Schneider
Electric Safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel) With Brake

Model No. GMI 008



AUTOMATIC

CHAPATI PRESSING

MACHINE (1000 CHAPATI / HOUR)

Production Capacity	: 1000 Roti /hr
Size of Roti	: 2" to 9"
Weight of Chapati	: 12 to 90 gram
Thickness of Chapati	: 1 mm to 9 mm
Electrical Supply	: 230v (single phase) or 440v (Three phase)
Electrical Connection Load	: 18Amp (3.5Kw)
Electrical Consumption	: 1.5 unit /hr
Overall Dimensions	: 2.6'(L) X1.3'(W)X3.5'(H)
Weight of Machine	: 120 kg
All Contact Parts	: SS 304
Electrical Motor	: ABB, Crompton & Godrej
Gear Box	: Bonfiglioli (Made by Italy)
Electric Parts	: Siemens & Schneider
Electric Safety	: Emergency Stop Button
Bearing	: SKF OR TIMKEN
Machine Movable	: YES (4" Castor Wheel) With Brake

Model No. GMI 009



AUTOMATIC

DOUGH BALL MAKING

MACHINE (3000 BALL / HOUR)

Production Capacity	: 3000 Dough ball /hr (Depends on Weight)
Weight of Dough ball	: 5 to 110 gm
Electrical Supply	: 230 v (single phase) or 440v (Three phase)
Machine Size	: L 2.5 x W 1.8 x H 2.5 ft
Machine Contact Parts	: SS 304
Weight of Machine	: 70 kg
Electric Motor	: ABB, Crompton & Godrej
Electric Wire	: RR Cable or Polycab
Gear Box	: Bonfiglioli (made by Italy)
Servo Motor (without compressor)	: Crouzet
Electric Parts	: Siemens & Schneider
Electric Safety	: Emergency Stop Button
Machine Movable	: YES (4" Castor Wheel) With Brake

Model No. GMI 010



Waiting For
Your Positive
Response...

Associations

OUR CLIENT

Company Canteen



Hospitality



Health Care




Temple



Schools & Institutions



OUR PRESENCE



OUR OTHER PRODUCT

FULLY AUTOMATIC CHAPATI MAKING MACHINE

AUTOMATIC SWEET MAKING MACHINE

VEGETABLE CUTTING MACHINE

DOUGH KNEADING MACHINE



Office : G-310, Titanium City Center, Anandnagar Road, Satellite, Ahmedabad-380015

Factory : Plot-11, Suvidha Engineering Zone, Nr. Atul Auto, Opp. SGVP School,
Rajkot-Gondal N/H, At- Ribda, Rajkot - 360311 (Gujarat)

Contact No.: +91 9627 365 365 | +91 9351 365 365
www.girnarmachine.com | info@girnarmachine.com

Watch on :

